VILLAGE ON SEA

ARCHITECTURAL DEVELOPMENT CODE DRAWING SUBMISSION REFERENCE LIST:

NO	LIST	COMMENTS
	Drawings to be in compliance with all architectural guidelines.	
2	No. of drawings (Folded A4 - Size) on file	
3	Scale of Drawings	
	Scale of Drawings	
	SITE PLAN	
I	Erf Number and Street Address	
2	Area Schedule including the following:	
	► Each floor area	
	► Total floor area	
	► Total coverage (not exceeding 50%)	
	► Undisturbed Area (Min. 25%)	
3	Boundaries indicated	
4	Building lines indicated - 4,5 on road	
5	North Point / Orientation	
6	Contours @ 500mm intervals	
7	Adjoining erven (if applicable)	
8	Shade net fence lines with dimensions and height:	
9	External sewer line with connecting manhole + section	
10	Paving Yard walls / privacy screens not exceeding 2.0m in height	
12	Suitable Screening	
	Fencing, max. 25% of erf to be fenced in.	
13		
14	Driveway to be clearly indicated	
16	Levels and finishes of external surfaces	
17	Swimming pool position - Salt Water Site terracing with treatment of banks, retaining walls etc.	
18	Ground floor plus First floor allowed	
19	Excavations - max. I.25m	
20	Surveyor Contours	
20		

	DOOF BLAN	
	ROOF PLAN	
	Roof overhang - not clipped	
	Roof span - max 8.5m	
3	Section Lines	
4	General dimensions	
5	Direction of Falls	
6	Gutter and down pipes if applicable	
7	Roof material	
8	Roof pitch between 17,5° and 35°	
9	Flat roofs / Comments	
10	Aerials, Roof Fixtures, Solar Panels etc.	
	FLOOR PLAN	
I	Staggered Street Façade	
2	Room names	
3	Floor Finishes	
4	Floor Levels relating to contours	
5	All measurements / dimensions	
6	Section lines	
7	North Point	
8	Overall dimensions including setting out from building lines	
•	Over all differsions including securing out from building lines	
	ELEVATIONS	
	Plumbing - Concealed Future 1 (Moll Finish (Clay on placeword)	
	External Wall Finish (Clay or plastered)	
	Burglar Bars	
	Min. 4 elevations	
	Type of finishes and colours	
	Natural ground level (NGL) against building	
	Indicating opening sections of windows	
8	Indicating height restriction envelope (8m)	

	SECTIONS	
-	Gradient of the roof (between 17.5 and 35 deg) + roof specification	
2	Floor to ceiling height	
3	Finished floor levels	
4	Section through stairs	
5	Indicate height restriction envelope (8.5m)	
	SPECIFICATIONS	
ı	Front Door	
2	Garage Door	
3	Type of windows	
4	Type of structure	
5	Balustrade	
6	Rain-water goods	
7	Complete Colour Scheme and material specification	
8	Colour swatches, images of claddings and materials to be included.	
	COMMENTS:	