

VEGETATION PLANT LIST

2009

fb=fynbos th=thicket sd=sand dune dt=dune thicket mb=mossel bay area ls= lime
all=distributed in all areas

MONOCOTYLEDONS

<i>Albuca cooperi</i>	sd	geldbeursie; albuca
<i>Albuca maxima</i>	mb	wittamarak; albuca
<i>Aloe arborescens</i>	th/sd	kransaalwyn
<i>Aloe ferox</i>	mb	tapaallwyn; opregte-aalwyn;bitteraalwyn; umhlaba(Xhosa,Zulu);ikalene,khala(Xhosa) bontaalwyn; spotted leaved aloe
<i>Aleo maculata</i> PP	th	patrysblom; patrysie; men-in-a-boat
<i>Androcymbium capense</i>	dt	maagbossie
<i>Aristea africana</i>	fb	blousuurkanol
<i>Aristea pusilla</i>	sd	katdoring;haakdoring
<i>Asparagus aethiopicus</i>	th	katdoring;wild asparagus; wag-n-bietjie
<i>Asparagus rubicundus</i>	th	bridal creeper
<i>(Asparagus asparagooides)?</i>		
<i>Babiana fourcadei</i>	fb	bobbejaantjie
<i>Bobartia aphylla</i>		biesroei
<i>Bobartia robusta</i> (RARE)	fb	biesieblom
<i>Bolboschoenus maritimus</i>		alkali bulrush; snygras
<i>Bonatea speciosa</i>	dt	moederkappie; oktoberlelie; green wood-orchid;phantom orchid
<i>Brunsvigia orientalis</i>	sd	kandelaarblom
<i>Bulbine frutescens</i> PP	th	rankkopieva;cat's tail;geelkatstert; balsam;Intelezi(Xhosa)
<i>Chasmanthe aethiopica</i>	dt	suurkanolpypie
<i>Cymbopogon plurinodes</i>		terpentyn gras
<i>Cynodon dactylon</i>		kweek gras
<i>Disa cornuta</i>	fb	inkspot disa
<i>Drimia elata</i>	dt	jeukbol (eaten by Cape Grysrok) poison squill
<i>Ehrharta brevifolia</i>		naturalised weed
<i>Ehrharta bulbosa</i>		kleinpypgras; small pipe grass
<i>Ehrharta calycina</i>		
<i>Ehrharta pusilla</i>		
<i>Elegia filacea</i>	fb	restio
<i>Elegia muirii</i> (UNCOMMON)	fb	restio
<i>Elegia vaginulata</i>	fb	dekriet
<i>Epischoenus quadrangularis</i>		N/I
<i>Eragrostis capensis</i>		berg-soetgras; blousaadgras
<i>Eragrostis curvula</i>		
<i>Eragrostis plana</i>		
<i>Eriospermum paradoxum</i>	fb	bobbejaan-ui

<i>Ferraria divaricata</i>	fb/th	spider lily; spinnekopblom
<i>Ficinia filiformis</i>	ls	fincinia
<i>Ficinia praemorsa</i>	ls	fincinia
<i>Ficinia ramocissima</i>	ls	fincinia
<i>Ficinia truncata</i>	ls	fincinia
<i>Freesia alba</i>	fb/ls	ruikpypie; freesia
<i>Freesia leichtlinii</i> (ENDANGERED)		duin freesia; dune freesia
<i>Geissorhiza heterophylla</i>		satinflower; syblom
<i>Gladiolus cunonius</i>	fb	lepelblom
<i>Gladiolus rogersii</i>	ls/fb	riversdale bell
<i>Haemanthus coccineus</i>	mb	april fool; blood flower; bergajuin
<i>Hypodiscus willdenowia?</i>	fb	
<i>Hypodiscus procurrens</i> (RED DATA)	dt	
<i>Hypoxis setosa</i>	all	small yellow star; sterretjie;Inongwe(Xhosa)
<i>Ischyrolepis triflora</i>	fb	
<i>Lachenalia algoensis</i>	dt	viooltjie
<i>Mastersiella spathulata</i>	fb	
<i>Moraea tricuspidata</i>	fb	rietuintjie
<i>Moraea unguiculata</i>	fb	wituintjie
<i>Pentaschistis</i> sp.		
<i>Restio triticeus</i>	fb	
<i>Romulea flava</i>	fb	froetang; knikkertjies
<i>Satyrium</i> sp.	dt	
<i>Spiloxene curculigoides</i>	fb	ewwa-trewwa sterretjie
<i>Sporbolum fimbriatus</i>		
<i>Sporobolus africanus</i>		vleigras
<i>Stenotaphrum secundatum</i>		buffels gras; strandkweek
<i>Tetraria bromoides</i>		bergpalmiet
<i>Tetraria capillacea</i>		bergpalmiet
<i>Tetraria cuspidata</i>		biesie;biesiegras
<i>Thamnochortus cinereas</i> velvety	fb	besemriet
<i>Thamnochortus insignis</i>	fb	dekriet
<i>Thamnochortus muirii</i> (RARE)	fb	besemriet
<i>Trachyandra affinis</i>		veldkool
<i>Trachyandra filiformis</i>	sd	veldkool
<i>Typha latifolia</i>		bulrush; matjiesgoed;papkuil
<i>Tulbaghia capensis</i>	mb	bruin wildeknoffel, wild garlic

DICOTYLEDONS

<i>Abutilon sonneratianum</i>	fb	wildemalva
<i>Acmaidenia densifolia</i> (Uncommon)	ls	duinebuchu; steekbuchu
<i>Acmaidenia obtusata</i>	fb	duinebuchu; steekbuchu

<i>Acmaidenia heterophylla</i>	Is	pienk buchu
<i>Adromischus</i> sp. (<i>caryophyllaceus</i> ?)sd		nentabos
<i>Agathosma apiculata</i>	th/fb	knoffel buchu; sitrus buchu
<i>Agathosma capensis</i>	fb	buchu
<i>Agathosma</i> cf. <i>robusta</i> (ENDANGERD)		
<i>Agathosma murii</i> (Vulnerable)fb		buchu; boegoe
<i>Aizoon canariense</i>	all	skaapvygie
<i>Amphithalea</i> sp. (Maybe A. violacea) fb		
<i>Anisodontea scabrosa</i>	fb / th/ ls	bergroos
<i>Anthospermum aethiopicum</i> fb		
<i>Anthospermum galoides</i> fb		gousblom
<i>Arctotheca prostrata</i>	hd	gousblom
<i>Arctotis sulcocarpa</i>	sd	
<i>Artemisia afra</i>	all	
<i>Aspalathus alopecurus</i>	fb	cape gorse
<i>Aspalathus carassisepala</i> fb		cape gorse
<i>Aspalathus</i> cf. <i>setacea</i>	fb	cape gorse
<i>Aspalathus densiflorus</i>	fb	cape gorse
<i>Aspalathus nigra</i>	ls	cape gorse
<i>Aspalathus quinquefolia</i>	fb	cape gorse
<i>Azima tetracantha</i>	th	speldedoring; needle bush
<i>Berkeya coriacea</i>	ls	disseldoring
<i>Buddleia saligna</i>	ms	witolienhout;false olive
<i>Capparis sepiaria</i>	th	
<i>Carpobrotus edulis</i>	th	caper-bush;kapperbos
<i>Carpobrotus muirii</i> (RARE)th		sour fig; suurvygie;perdevy;gaukum(khoi)
<i>Carissa bispinosa</i>	th	sour fig; suurvygie
<i>Cassine aethiopica</i> = <i>Mystroxylon aethiopicum</i> th		num-num;noem-noem;amatangoela(Zulu)
<i>Cassine eucleiformis</i>	th	koeboebessie;kooboo-berry
<i>Cassine tetragona</i>	th	
<i>Castalis nudicaulis</i>		bobbejaantou;duinekokoboom;
<i>Centella calcaria</i> (RED DATA/ RARE) ls		dunekoko tree
<i>Cephalophyllum diversiphyllum</i>		
<i>Chironia baccifera</i>	th/fb	christmas berry; aambeibossie;bitterbos;
<i>Chrysanthemoides incana</i> sd		tandpynbossie;twild gentian;toochache berry
<i>Chrysanthemoides monilifera</i> th/fb		grysbietaou
<i>Chrysocoma ciliata</i>		bietou;boetabessie;bokbessie;Itholonja(Zulu)
<i>Chrysocoma tenuifolia</i>		bitter bush; bitterbos
<i>Cineraria geifolia</i>	sd	bitter bush; bitterbos
<i>Cissampelos capensis</i>	th	cineraria
<i>Clausena anisata</i>	th	dawidjiewortel
<i>Cliffortia falcata</i>	fb	perdepis;horsewood
<i>Cliffortia stricta</i>	fb	cliffertia
<i>Coleonema album</i>	ls	cliffertia
<i>Colpoon compressum</i> = <i>Osyris compressa</i> th		confetti- bos; buchu
<i>Commelinia africana</i>	th	cape sumach; pruimbas
<i>Cotula zeyheri</i>	sd	yellow wandering Jew;wandelende jood;
<i>Cotyledon orbiculata</i>	sd/th	mouse ears;Indangabana(Zulu)
<i>Crassula cf atropurpurea</i>	cliffs/th	buttons; knoppies
		kouterie;pig's ear;varksoor;impheuwula(Xhosa)

<i>Crassula decumbens</i>	sd/th	stonecrop
<i>Crassula ericoides</i>	sd/th	stonecrop
<i>Crassula expansa</i>	sd/th	bergkraaltjies, inrygkraaltjies
<i>Crassula rupestris</i>	sd/th	stonecrop
<i>Crassula expansa</i> subsp. <i>Fragilis</i>	sd/th	brakvygie
<i>Crassula glomerata</i>	sd	klipblom
<i>Crassula orbicularis</i>	sd	concertina plant,sosaties
<i>Crassula perforata</i>	th/sd	stonecrop
<i>Crassula rubricaulis</i>	th/sd	stonecrop
<i>Crassula sp.</i>		stonecrop
<i>Crassula subaphylla</i>		karkai
<i>Crassula tetragona</i>		cabbage tree;kuskiepersol
<i>Cussonia thyrsiflora</i>	th	baroe
<i>Cyphia heterophylla</i>	fb	baroe
<i>Cyphia volubilis</i>		bokhorinkies
<i>Cytinus sanguineus</i>		
<i>Cynanchum ellipticum</i>	dt	
<i>Delosperma litorale</i>	cliffs/ls	kalkklipvygie
<i>Delosperma</i> sp.		skaapvygie
<i>Delosperma virens</i> (RED DATA)	ls	skaapvygie
<i>Desperago tortillis</i>		desperago
<i>Diosma aristata</i> (Critically endangered)	fb	dune salad
<i>Diospyros dichrophylla</i>	th	jakkalstolbos
<i>Disphyma crassifolium</i>	th/sd	disphyma
<i>Drosanthemum</i> cf. <i>lique</i>		douvygie
<i>Drosanthemum floribundum</i>	th/ls	douvygie
<i>Drosanthemum hispidum</i>	ls	douvygie
<i>Drosanthemum intermedium</i>		douvygie
<i>Drosanthemum lavisiae</i> (RARE)	ls	douvygie
<i>Drosanthemum muri</i>	ls	
<i>Drosanthemum striatum</i>	th/ls	snotrosie
<i>Drosera cistiflora</i>		
<i>Elytropappus rhinocerotis</i>	mb	renosterbos;vlieebossie;anosterbos
<i>Erica axillaris</i>		heide; heath
<i>Erica cerinthoides</i>	fb	rooihaarjtjies; fire heath
<i>Erica</i> cf. <i>anguliger</i>		heide
<i>Erica discolor</i>	fb/ls	heide
<i>Erica dispar</i> (VULNERABLE)	fb	heide
<i>Erica lasciva</i>	fb	ker-ker, raasheide
<i>Erica peltata</i>	fb	baby heath
<i>Erica quadrangularis</i> (Unusual distribution)	fb	heide
<i>Erica rhopalantha</i>		heide
<i>Erica speciosa</i>		heide
<i>Erica versicolor</i>	mb	heide
<i>Eriocephalus africanus</i>	sd	kapokbossie;wild rosemary
<i>Euchaetis albertiana</i>	fb	buchu
<i>Euchaetis burchellii</i>	fb	buchu
<i>Euclea racemosa</i>	dt	gwarriebos
<i>Euclea undulata</i>	th	gewone gwarrie;guarrie(Khoi);umgwali(Xhosa)
<i>Euphorbia burmanii</i>	dt	steenbokmelkbos;soetmelkbos
<i>Euphorbia mauritanica</i>	dt	karoo milkbush
<i>Euphorbia murii</i> (Rare or Endangerd)	dt	vingerpol

<i>Falkia repens</i>	dt/sd/all area's	falkia; oortjies
<i>Felicia amelloides</i> PP	sd	felicia; astertjie
<i>Gazania krebsiana</i> PP	sd	gazania; gousblom
<i>Gazania rigens</i> PP	sd	strandgazania
<i>Gerbera pilocelloides</i>	sd/lsls	swarttee
<i>Gnidia fransisci</i>		
<i>Gnidia racemosa</i>		
<i>Gnidia setosa</i>		
<i>Gnidia squarrosa</i>	fb	kruisbessie;cross-berry; <u>assegai wood</u> ;
<i>Grewia occidentalis</i>	th	Iklolo(Zulu);Umquma(Xhosa)
<i>Gymnosporia buxifolia</i>	th	gewone pendoring;common spike-thorn
<i>Hebenstreitia repens</i>		slugwort; slakblom
<i>Helichrysum crispum</i>	th/fb	strawflower;strooiblom
<i>Helichrysum pandurifolium</i>		kooigoed
<i>Helichrysum petiolare</i>	th/fb	strawflower;strooiblom;everlasting; imphepho(Xhosa,Zulu)
<i>Helichrysum retortum</i>		strawflower;strooiblom
<i>Helichrysum teretifolium</i>	all	strawflower;strooiblom
<i>Heliophila adpressa</i>		sunflax; sporrie
<i>Heliophila africana</i>		sunflax; sporrie
<i>Heliophila refracta</i>		sunflax; sporrie
<i>Hermannia flammea</i>	ls	granny bonnets; poprosie
<i>Hermannia flammula</i>	ls	doll's rose; poprosie
<i>Hermannia holosericea</i>		pokkiesblom, agtdaegeneesbossie
<i>Hermannia hyssopifolia</i>	all areas	doll's rose; poprosie
<i>Hermannia mucronulata</i>		doll's rose; poprosie
<i>Hermannia muirii</i>		komynbossie
<i>Hermannia saccifera</i>	all areas	doll's rose; poprosie
<i>Hermannia salviifolia</i>	fb	tandebossie; poprosie
<i>Hermannia trifoliata</i>	ls	
<i>Hermannia velutina</i>		
<i>Hypoestes aristata</i>	th/dt	
<i>Indigofera denudata</i>		indigo
<i>Indigofera heterophylla</i>		indigo
<i>Jordaniella dubia</i>	sd	strandvygie
<i>Knowltonia vesicatoria</i>		brandblare;blistering leaves;uxaphuza(Xhosa)
<i>Lachnaea</i> sp.		bergangelier; mountian carnation
<i>Lampranthus ceriseus</i> (RARE)		vygie
<i>Lampranthus diffusus</i>		vygie
<i>Lampranthus diutinus</i> (RARE)		vygie
<i>Lampranthus fergusoniae</i> (RARE)		vygie
<i>Lauridea tetragona</i>		
<i>Leucadendron salignum</i>	fb	geelbos; common sunshine cone bush
<i>Leucospermum praecox</i> (THREATENED)fb		speldekussing; mossel bay pincushion
<i>Limonium scabrum</i>	sd	brakblommetjie; sea lavender
<i>Linum aethiopicum</i>	fb	flax
<i>Linum africanum</i> PP	mb	african flax

<i>Linum brevistylum</i>		flax
<i>Lobelia coronopifolia</i>	fb	wild lobelia
<i>Lobelia tomentosa</i>	fb	
<i>Lobostemon trigonus</i>	fb/ls	agtdaegeneesbos; douwurmboos; lobos; luibos
<i>Lycium cinereum</i>		kareebos
<i>Lyperia violacea</i>		
<i>Manochlamys albicans</i>		honebossie
<i>Manulea cheiranthus</i>		vingertjies
<i>Maytenus procumbens</i>		duinekokoboom
<i>Maytenus undata</i>	th	kokoboom
<i>Metalasia acute</i>		blombos
<i>Metalasia brevifolia</i>		blombos
<i>Metalasia densa</i>	ls	blombos
<i>Metalasia erectifolia</i> (RARE)		blombos; witsteekbossie
<i>Metalasia muricata</i>	ls	blombos
<i>Metalasia pungens</i>	ls	blombos
<i>Metalasia pungens grey</i>	fb	blombos
<i>Monsonia emarginata</i>		geitabossie; dysentery herb
<i>Muraltia empleuridioides</i>		croesbossie; purple gorse
<i>Muraltia minuta</i>		
<i>Muraltia satureoides</i>		croesbossie; purple gorse
<i>Muraltia squarrosa</i>	ls	croesbossie; purple gorse
<i>Myrsine africana</i>	fb/th	vlieebos; mirting; cape myrtle
<i>Mystroxylon aethiopicum</i> = <i>Cassine aethiopica</i>	dt/th	koeboebessie
<i>Nemesia barbata</i>		bloubekkie; kappie
<i>Nemesia versicolor</i>		leeubekkie; weeskindertjies
<i>Oedera imbricata</i>	ls	
<i>Olea exasperata</i>	dt	perdekaroo
<i>Osteospermum cf. elsiae</i>		basteroliehout
<i>Osteospermum fruiticosum</i> = <i>Dimorphotheca fruiticosa</i>		rankbietou
<i>Osteospermum polygaloides</i>	fb	bietou; boneseed
<i>Osyris compressa</i> = <i>Colpoon compressum</i>	th	pruimbos; cape sumach
<i>Othonna capensis</i>		bobbejaankool
<i>Othonna cf. heterophylla</i>		bobbejaankool
<i>Othonna cylindrica</i>	sd	bobbejaankool
<i>Othonna sp.</i>	sd	bobbejaankool
<i>Oxalis ciliaris</i>	all	suring
<i>Oxalis dilatata</i>	all	suring
<i>Oxalis obtusa</i>	all	geeloogsuring
<i>Passerina galpinii</i>	ls	gonna
<i>Passerina rigida</i>	sd/ls	gonnabas; seekoppiesganna
<i>Passerina vulgaris/corymbosa</i>	sd	gonna
<i>Pelargonium betulinum</i>	fb	maagpynbossie; kanferblaar
<i>Pelargonium canariense</i>		malva
<i>Pelargonium capitatum</i>	th/fb/sd	kusmalva; rose-scented
<i>Pelargonium fruticosum</i>	fb	
<i>Pelargonium hypoleucum</i>		malva
<i>Pelargonium multiradiatum</i>		malva
<i>Pelargonium peltatum</i>	th	kolsuring
<i>Pelargonium sp.</i>		malva
<i>Phylica axillaris</i>	ls	veertjie

<u>Phylica ericoides</u>		hardeblaar
<u>Phylica pinnea</u>		hardeblaar
<u>Phylica stipularis</u> = <i>Trichocephalus stipularis</i> fb/lvs		honegesig; dogface
<u>Phyllospodium bracteatum</u>		opslag
<u>Phyllospodium capillare</u>		opslag
<u>Plantago cafra</u> (Unusual distribution)		
<u>Polygala ericifolia</u> fb		septemberbos
<u>Polygala myrtifolia PP</u> th		septemberbos; blou-ertjieblom
<u>Polygonaceae</u> sp.		kroesbossie
<u>Printzia polifolia</u>		
<u>Protea lanceolata</u> (THREATENED) fb		smalblaarsuikerbos; lance-leaf sugarbush
<u>Protea repens</u> fb		suikerbos; common sugarbush
<u>Pterocelastrus tricuspidatus</u> th		kershout; cherrywood
<u>Putterlickia pyracantha</u> th		basterpendoring
<u>Raphanus raphinistrum</u>		
<u>Relhania pungens</u> fb		perdekaroo
<u>Rhoicissus digitata</u> th/sd		bobbejaantou; monkey grape
<u>Rhus crenata</u> th/sd		duinekraibessie
<u>Rhus gluca</u> th/sd		blou kuni-bush; bloukoenibos
<u>Rhus incisa</u> Id		baardbessie
<u>Rhus laevigata forma cangoana</u> (RARE) th		duinetaaibos; dune taaibos
<u>Rhus longispina</u> th		doringtaaibos; thorny taaibos
<u>Rhus lucida</u> th/sd		blinktaaibos
<u>Rhus pterota</u> th/sd		doringtaaibos; thorny taaibos
<u>Rhus rosmarinifolius</u> all		rosemary; taaibos
<u>Rhus tomentosa</u> th		korentebos; wild current
<u>Rumex saggittatus</u>		rooisuring; ranksuring; climbing sorrel
<u>Ruschia cf cymbifolia</u>		
<u>Ruschia cf. macowanii</u>		vygie
<u>Ruschia</u> sp.		vygie
<u>Salvia africana - lutea</u>	sd/th	strandsalie; bruin salie; dunesage
<u>Sarcostemma viminale</u>	sd/th	spantou; melktou
<u>Scabiosa columbaria</u>	fb	bitterbos; wild scadious; koringblom; makgha(Xhosa); ibheka(Zulu)
<u>Schotia afra</u>	th	karoo boerboon
<u>Selago corymbosa</u>	ls/fb	bitterblombos
<u>Selago glomerata</u>	ls/fb	aarbossie
<u>Senecio elegans</u>		Veld cineraria
<u>Senecio arenarius</u>		hongerblom
<u>Senecio ilicifolius</u>		hongerblom
<u>Senecio lyratus</u>		ragwort
<u>Sideroxylon inerme</u> (PROTECTED) th		white milkwood; melkhout
<u>Solanum hermanii</u> th		bitterappel
<u>Solanum quadrangulare</u> th		nightshade; bitterappel
<u>Stachys aethiopica</u> th/ls		katbossie
<u>Stipagrostis 3plume</u>		
<u>Stoebe plumosa</u> fb		slangbos
<u>Struthiola argentea</u> fb		aandgonna; roemenaggie
<u>Struthiola striata</u>	Roemanaggie fb	katsterjie
<u>Sutera campanulata</u> =	<i>Chaenostoma campanulata</i>	stinkbossie
<u>Sutera denudata</u>	th/fb	stinkbossie
<u>Sutera hispida</u>	th/fb	stinkbossie
<u>Sutera pedunculata</u>	th/fb	bruinfluweeltjie

<i>Sutera</i> sp.		skunk bush; stinkbossie
<i>Sutera james Brittania</i>	th	
<i>Syncarpha paniculata</i>	ls	everlasting; sewejaartjie
<i>Tarchonanthus camphoratus</i>	th	wilde kamfer
<i>Tephrosia capensis</i>		
<i>Tetragonia fruticosa</i>	sd	kinkelbossie
<i>Tetrataria</i> sp.		
<i>Thesidium fragile</i>		
<i>Thesium frisea</i>		swartstorm
<i>Ursinia anthemoides</i>	sd	bergmagriet; marigold; magriet
<i>Ursinia paleacea?</i>		geelmagriet
<i>Ursinia</i> sp.	sd	parachute daisy; bergmagriet
<i>Viscum capense</i>	th/sd	lidjiestee; voelent; cape mistletoe
<i>Wahlenbergia cf. rigida</i>	fb	african bluebell; boeklokkie; muistepelkaro
<i>Zaluziansky capensis</i>	sd	verfblommetjie
<i>Zygophyllum flexuosum</i>	ls	maerbos; spekbos
<i>Zygophyllum morgiana</i>	th	skilpadbossie

Compile by: A O'Connor and L van der Walt
Date: 21-07-2008

TREES: (Coastal Scrub/Thicket/Forest).

Akocanthera oppositifolia
Buddleja saligna
Chrysanthemoides monilifera

Clausena anisata
Dovyalis rhamnoides
Euclea racemosa
Grewia occidentalis

Gymnosporia buxifolia
Olea europaea subsp. africana

Olea exasperata
Pittosporum viridiflorum

Pterocelastris tricuspidata
Schotia afra var. afra
Sideroxylon inerme
Tarchonanthus camphoratus

- Common Posion Bush
- False Olive; witolienhout
- Bush-Tick Berry; bietou; boetabessie; bokbessie; itholonja(zulu)
- Perdepis
- Gewone suurbessie
- Seeghwarrie.
- Kruisbessie; cross - berry; assegai wood iklololo(zulu); umnaqabaza(xhosa)
- Gewone pendoring;common spike-thorn
- Olienhout;wilde olienhout;swartolienhout; Umquma(Xhosa)
- Dune Olive
- Cheesewood;kasuur; umkhwenkhwe(Xhosa,Zulu)
- Candlewood
- Karooboerboon
- Milkwood (Protected)
- Wild camphor bush;mathola(Xhosa); amathola(Zulu)

Please Note:

All Landscaping/Rehabilitation of the gardens should make use of only locally indigenous plants of Mossel Bay. Plant species should therefore be restored in its natural surroundings. Only Thicket species within the Thicket areas and Fynbos species (Limestone and Proteoid Fynbos) in their soil specific areas), in keeping with the natural ecosystems that occur on the site.

Plant species used for rehabilitation should only be propagated from seeds and cuttings made of plant material from this site.

All search and rescue plants obtained from building plots should be rehabilitated on their original site specific area.

This Plant list will be updated regularly since new species may be identified (or added) on site or surroundings.